

Nokia APAC NOL

1 (3)

SEAP TECHNICAL SUPPORT
Wilchua

CONFIDENTIAL
Create Date
26 August 2008

ASB<RM-430>002

Nokia 1508i USB Driver

Introduction

In order to use Nokia 1508i with Nokia Care Suite or any other product specific service applications, USB driver must be installed separately. This technical bulletin includes USB driver and installation guide.

There are four installation files included to a zip file. Please select the proper one for target PC's operating system.

NOKIA_1508i_CDMA_Mobile_Device_Vista32.msi: Windows Vista 32bit
NOKIA_1508i_CDMA_Mobile_Device_Vista64.msi: Windows Vista 64bit
NOKIA_1508i_CDMA_Mobile_Device_XP32_2000.msi: Windows XP 32bit & Windows 2K
NOKIA_1508i_CDMA_Mobile_Device_XP64.msi: Windows XP 64bit

Installation guide:

1. Double-click USB driver installer and click "Next" to start installation



2. Click "Install" to continue


Nokia APAC NOL

2 (3)

SEAP TECHNICAL SUPPORT
Wilchua

CONFIDENTIAL
Create Date
26 August 2008

ASB<RM-430>002



3. Click "Finish" to complete installation

Nokia APAC NOL

3 (3)

SEAP TECHNICAL SUPPORT
Wilchua

CONFIDENTIAL
Create Date
26 August 2008

ASB<RM-430>002



4. Insert the batter to Nokia 1508i and turn it on
5. Connect CA-101 micro USB cable between the handset and PC. PC will recognize the handset and start installing the driver



6. The notification will appear on the task bar when the installation is completed successfully

